

LICENCE CONDITION 7

Site Identification Board

Cambro Contractors Limited

Waste Disposal Site

Lower Somercotes, Near Alfreton

This site is operated by Cambro Contractors Limited, Furnace Hill, Clay Cross, Derbyshire. (Telephone No Chesterfield 862679).

Hours of opening:- Monday - Friday - 0900 - 1700 hours  
Saturday - CLOSED  
Sunday - CLOSED

This site is licensed under the Control of Pollution Act 1974 by Derbyshire County Council, County Surveyor's Department, County Offices, Matlock. (Telephone No Matlock 3411).



Cambro Contractors Limited  
Furnace Hill  
CLAY CROSS  
Chesterfield  
Derbyshire.

Control of Pollution Act 1974

Waste Disposal Licence No LS41

Issued : 20 June 1979    Amended : 16 July 1979

Site Address:    Lower Somercotes  
                  Alfreton  
                  Derbyshire

WHEREAS application (Reference No LS41) was made on 18 January 1978 for a licence to deposit waste at the above site in the manner described in the application and shown on the accompanying drawings and plans.

THIS LICENCE authorises the deposit of waste at the site in accordance only with the following conditions (numbered 1 - 27).

- 1 Waste disposal operations shall proceed as detailed in the operational plan No WP78 as received on 18 January 1978. The licence holder shall notify the County Surveyor of any proposed change in the actual conduct of operations from the proposals shown in the plan, as altered by any previously notified changes, at least one month before the proposed change is implemented.
- 2 The types and quantities of wastes deposited daily at the site shall not exceed the following:-

- (a) 250 tonnes of non-hazardous industrial waste.
- (b) Unlimited amount of waste from the construction industry.

The description and reference used below is as used in the Department of the Environment Waste Management Paper No.4.

- (c) 75 tonnes of scrap rubber including tyres (Code L30).

Notwithstanding the terms of Condition 2 above.

- (I) Waste defined in categories (a), (b) and (c) must not contain any hazardous quantity or hazardous concentration of a poisonous, noxious or polluting substance and for the purposes of this licence a quantity of concentration of any substance contained in any waste is to be regarded as hazardous if that substance is present in that waste in such a quantity as to subject persons or animals to material risk of death, injury or impairment to health or as to threaten the pollution or contamination (whether on the surface or underground) of any water supply.







- 3 The site access road from the B600 to the site control office shall be maintained to the satisfaction of the County Surveyor.
- 4 Precautions shall be taken to ensure that no mud or other waste is carried on to the B600 by vehicles using the site.

---

- 5 A site control office, which shall afford toilet, washing and eating facilities for site operators (unless these facilities are available nearby) shall be located as shown on the operational plan.
- 6 A site identification board of durable material and finish shall be displayed at the site entrance. The information to be displayed shall be as shown on the attached sheet.
- 7 The hours of operation shall be 0730 - 1800 hours Monday to Friday and 0730 - 1300 hours on Saturday. No tipping or related operations shall take place outside these hours. Condition 11 may reduce these hours of operation at certain times of the year.
- 8 Subsidiary site road shall be provided to each working face and shall be maintained to the satisfaction of the County Surveyor.
- 9 Where necessary moveable screens shall be provided at intervals near operational areas having regard to wind direction so as to ensure that paper and other materials are contained on the site. Materials arrested by such screens shall be removed and disposed of as necessary to maintain the efficiency of the screens and the tidiness of the site.
- 10 Lockable gates shall be provided across the access to the tipping area. The site gates and boundary fencing are to be maintained to the satisfaction of the County Surveyor. All reasonable precautions shall be taken to prevent unauthorised access to the site and the gates must be securely locked when the site is unmanned.
- 11 No deposit or other operation shall take place during the hours of darkness unless suitable lighting has been provided. The hours of darkness are those covered by statutory lighting up times published by the Science Research Council.
- 12 The site shall be adequately manned and supervised during working hours.
- 13 Solid waste shall be compacted and formed into a layer as soon as possible after deposit.
- 14 Solid asbestos waste, (pipes, sheets, etc) shall be placed at the foot of the working face and covered immediately with incombustible material to a depth of not less than 1 metre (3 feet).
- 15 Scrap rubber and tyres shall be tipped in layers not exceeding 5 metres in depth and they must be completely covered with incombustible material not later than at the end of the day on which the waste is received.



- 16 Material used for landfill other than that which is wholly incombustible shall, subject to the traction needs of vehicles operating at the working face, be covered progressively with suitable stabilised incombustible material throughout the working period each day, so that by the end of the day all exposed surfaces including the flanks and face shall have been covered to a depth of not less than 15 centimetres (6 inches).


---

- 17 All large articles such as furniture, crates and hollow containers likely to cause voids shall be crushed, broken up or flattened and covered each day by other wastes in such a position that they are not within 1 metre (3 feet) of the surface or 2 metres (6 feet) of the flanks or face.
- 18 Not less frequently than once a week any loose waste which may be lying on the site shall be gathered and disposed of in such a way as to keep the site tidy.
- 19 No waste material shall be burnt within the boundaries of the site, and a fire at the site shall be regarded as an emergency and immediate action shall be taken to extinguish it. All outbreaks of fire shall be notified immediately to the Waste Disposal Engineer, County Surveyor's Department, Matlock, and the Derbyshire Fire Service.
- 20 Precautions shall be taken to deal effectively with any vermin or insects on site and a record shall be kept of the treatment undertaken.
- 21 A record shall be kept at the site office of the types and quantities of waste deposited on the site and the information recorded shall include:
  - (a) The producer of the waste.
  - (b) The waste disposal contractor involved.
  - (c) The type of waste as classified in Condition No.2.
  - (d) The quantity in tonnes.A monthly summary of this information shall be forwarded to the County Surveyor.
- 22 The terms of the site licence shall be made known to any person who is given responsibility for the management or control of the site and copy of this shall be displayed at the site control office.
- 23 All reasonable precautions shall be taken during dry weather to suppress the emission of dust from the site and approach road.
- 24 Topsoil stripped before landfilling commences shall be retained on site for use as final cover.
- 25 Until final restoration, completed areas of landfilling shall be graded and maintained in a tidy condition and where necessary action shall be taken to control or destroy weeds.
- 26 The final layer of waste deposited shall be subject to the minimum compaction and shall, to a depth of not less than 3 metres (10 feet), be kept free of materials likely to interfere with final restoration or subsequent cultivation.



- 27 Not less than 14 days notice shall be given to the County Surveyor of the date on which landfilling is to recommence in the event of a temporary cessation for a period in excess of 3 months.
- 28 Any temporary cessation of operations for a period in excess of 3 months shall be notified to the County Surveyor.

Date ..... 16 JULY 1979 .....

  
.....  
Principal Assistant County Surveyor  
and Authorised Officer